



Schlage - Dexter Residential

DEADBOLT LOCKS - *ANSI A156.5, 1992 GRADE 3*

- C keyway 5 pin, 1-3/8" - 1-3/4" thick door
- Provided double option: square corner, or 1/4" radius
Adjustable 2-3/8" - 2-3/4" backset
- 2-1/8" bore size




JD60 ANSI E2153

Single Cylinder Deadbolt

Deadbolt thrown or retracted by key from outside or by inside turn unit. Bolt automatically deadlocks when fully thrown.

JD60

Single Cylinder Deadbolt



Stocked Product

Finishes: 605,609,619,620,625,630,716

LOCKS HANDLESETS - *ANSI A156.2, 1969, Series 4000, Grade 3*

- C keyway 5 pin, 1-3/8" - 1-3/4" thick door
- Provided double option: square corner, or 1/4" radius
Adjustable 2-3/8" - 2-3/4" backset



JH60 - Entrance Lock

Deadbolt thrown or retracted by key from outside or by inside turn unit. Latch retracted by thumbpiece from outside or by inside knob/lever.

Consist of:

JH58 - outside trim
JH59 - inside trim



Schlage - Dexter Residential



J10 ANSI F75

Passage Latch

Both knobs/levers always unlocked.



J40 ANSI F76

Bath/Bedroom Privacy Lock

Turn-button locking. Can be opened from outside by turning outside turn mechanism. Turning inside turn button releases inside knob/lever.

J18/19

Passage Lock with Keyed Deadbolt



Deadbolt operated by key from outside or by turn unit from inside. Bolt automatically deadlocks when fully thrown. Latch retracted by lever from either side. Turning inside lever retracts deadbolt and latch simultaneously for immediate exit



JI58/59

Keyed Entrance lock

Deadbolt operated by key from outside or by turn unit from inside. Bolt automatically deadlocks when fully thrown. Outside lever unlocked by key from outside when locked by turn button in inside lever. Turning inside lever retracts deadbolt and latch simultaneously for immediate exit. Latch automatically deadlocks when door is closed.



J54 ANSI F81

Entrance Lock

Unlocked by key from outside when outer knob is locked by turn-button in inside knob. Inside knob/lever is locked and unlocked by turn button.



J170

Single Dummy Trim

Dummy trim for one side of door. Used for door pull or as matching inactive trim.

OUTSIDE TRIM HANDLESETS ACTIVE - *JH58 outside trim only*

BARCELONA

Symbol **BAR**

PARIS

Symbol **PAR**

Stocked Product

Barcelona JH58 605,609,619,620,625,630,716

Paris JH58 605,619,620,625,630,716





Schlage - Dexter Residential

HANDLESET INSIDE TRIM - *JH59 Active only*

CORONA
Symbol **CNA**



STRATUS
Symbol **STR**



DOVER
Symbol **DOV**



Stocked Products

Corona JH59	605,609,619,620,625,630,716
Dover JH59	605,609, 630
La Salle JH59	605,609,619,620,625,630,716
Seville	605,619,716
Stratus	619,716
Torino JH59	605,609,619,620,625,630,716

LASALLE
Symbol **LAS** (Handed)



SEVILLE
Symbol **SEV** (Handed)



TORINO
Symbol **TOR**



Interconnected Lock - *JJ Series*

APPLICATIONS

Single and multi-family residential, office, hotel/motel, and light commercial applications.

SPECIFICATIONS

- Interconnected latchbolt and deadbolt chassis
- Ideal for new construction
- 5 1/2" center to center cross-bore diameter
- Both latch and deadbolt are retracted simultaneously, allowing for emergency egress
- Product exceeds all ANSI A1 56.12 Grade 3 requirements
- UL Listed for all functions
- Non-handed Levers
- Adjustable latch for 2 3/8" or 2 3/4" backset
- Dexter offers a lifetime mechanical warranty

DOOR RANGE: 1 3/8" to 1 3/4" (35 mm-51 mm).



Stocked Products

Torino	605,630
Marin	605,630



Schlage - *Dexter Residential*

DOVER
Symbol **DOV**



TORINO
Symbol **TOR**



SEVILLE
Symbol **SEV** (Handed)



LASALLE
Symbol **LAS** (Handed)



MARIN
Symbol **MAR**




Stocked Product

Stocked Functions

J170, J10, J40 and J54

Stocked Designs X Finishes


Byron	605,630
Corona	605,609,619,620,625,630,716
Dover	605,609,630
La Salle	605,609,619,620,625,630,716
Marin	605,630
Seville	605,619,716
Stratus	619, 716
Torino	605,609,619,620,625,630,716



BYRON
Symbol **BYR**



STRATUS
Symbol **STR**



CORONA
Symbol **CNA**



Schlage - Dexter Residential

LATCHES, STRIKES & PARTS

16-042 Spring Latch


16-045 Dead Latch

16-048 Dead Bolt


- Above 2-3/8" & 2-3/4" adjustable backset
- Square corner and round corner standard




J750-000
5 pin key blank
Schlage C Keyway



Radius corner full lip



Radius full lip for JD60



Square corner full lip




Square strike plate
and frame reinforcer
with 3" screws

RADIUS CORNER DEADBOLT STRIKES

Stocked Products

10-103: 605,609,630, 716

10-104: 605,609,620,630



New#
10-103

New#
10-104



Schlage - A Series

LIGHT COMMERCIAL A FUNCTIONS ANSI A156.2, SERIES 4000, GRADE 2

- 6 pin cylinder, keyed 5 pin C keyway
- 2-3/8" backset with 10-001 T-strike
- Optional strikes & backsets available
- 1-3/8" - 1-7/8" thick door

Stocked Product

Levon	A10S Passage	613, 626
	A40S Privacy	613, 626
Orbit and Plymouth	A10S Passage	605, 613, 626, (625-Orbit only)
	A170 Dummy	605, 613, 626, (625-Orbit only)
	A40S Privacy	605, 613, 626, (625-Orbit only)
	A40S Privacy X 625	605, 613
	A53P Entry	605, 613, 626, (625-Orbit only)
	A70P Classroom	605, 613, (625-Orbit only)
	A80P Storeroom	605, 613, 626, (625-Orbit only)



A10S ANSI F75

Passage Latch

Both knobs always unlocked.



A40S ANSI F76

Bath/Bedroom Privacy Lock

Push-button locking. Can be opened from outside with small screwdriver. Turning inside knob or closing door releases button.



A53PD ANSI F109

Entrance Lock

Turn/push-button locking; pushing and turning button locks outside knob, requiring use of key until button is manually unlocked. Push-button locking; pushing button locks outside knob until unlocked by key or by turning inside knob.



A70PD ANSI F109

Classroom Lock

Outside knob locked and unlocked by key. Inside knob always unlocked.



A80PD ANSI F86

Storeroom Lock

Outside knob fixed. Entrance by key only. Inside knob always unlocked.




A170

Single Dummy Trim


Dummy trim for one side of door. Used for door pull or as matching inactive trim.

Standard 2-3/8" BS, T strike with classic "C" keyway. Optional latches and strikes available


LEVON Symbol LEV



ORBIT Symbol ORB



PLYMOUTH Symbol PLY





Schlage - *AL Series*



A10S / AL10S ANSI F75

Passage Latch

Both levers always unlocked.



AL25D

Exit Lock

Blank plate outside. Inside lever always unlocked.



AL40S ANSI F76

Bath/Bedroom Privacy Lock

Push-button locking. Can be unlocked from outside with small screwdriver. Turning inside lever or closing door released button.



AL170

Simple Dummy Trim

Dummy trim for one side of door. Used for door pull or as matching inactive trim.



AL50PD ANSI F82

Entrance/Office Lock

Push-button locking. Push-button locks outside lever until unlocked with key or by rotating inside lever.



AL53PD ANSI F109

Entrance Lock

Turn/push-button locking; pushing and turning button locks outside lever requiring use of key until button is manually unlocked. Push-button locking; pushing button locks outside lever until unlocked by key or by turning inside lever.



AL70PD ANSI F84

Classroom Lock

Outside lever locked and unlocked by key. Inside lever always unlocked.



AL80PD ANSI F86

Storeroom Lock

Outside lever fixed. Entrance by key only. Inside lever always unlocked.

Standard Features

Certification	ANSI A156.2, 1996, Series 4000, Grade 2, UL Listed for 3 hour fire door
Latch	1-1/8" x 2-1/4", Square corner faceplate, 1" housing diameter, 1/2" throw
Strike	1-1/4" x 4-7/8" ANSI, Square corner, no box
Backset	Standard 2-3/4", optional 2-3/8" BS available
Door Range	1-3/8" - 1-7/8"
Keyed locks	Classic C keyway, KD - also available Everest C123

Stocked Product

Stocked Functions: AL10S, AL170, AL40S, AL50P, AL53P, AL70P, AL80P
Stocked Finishes: 605, 613, 625, 626
Stocked Designs: Saturn and Neptune

Stocked Functions: AL25D,
Stocked Finishes: 626
Stocked Designs: Saturn, Neptune

Stocked Function: AL53J, for large format Recore, Less Core
Stocked Finishes: 626
Stocked Designs: Saturn

Stocked Function: AL53BSAT, Small format interchangeable Core, Less Core
Stocked Finishes: 626
Stocked Designs: Saturn

Stocked Function: AL80BSAT, Small format interchangeable Core, Less Core
Stocked Finishes: 626
Stocked Designs: Saturn


SATURN



NEPTUNE




SATURN







Schlage - A & AL Parts




11-068
2-3/8"SL




11-085
2-3/8"DL



A Series
Screws
A501-161




11-116
2-3/4"SL



11-096
2-3/4"DL



11-104
2-3/8"
CIRCULAR
DRIVE-IN DL




10-001
T - STRIKE



10-025
ASA STRIKE




10-026
SQUARE CORNER
FULL LIP STRIKE



10-027
RADIUS CORNER
FULL LIP STRIKE



A501-878
FACEPLATE
ADAPTER



41-005
5" BACKSET LINK


Stocked Product

11-068	Spring Latch 2-3/8" BS, 1" X 2-1/4" Face, 7/8" hsg	605,613,626
11-116	Spring Latch 2-3/4"BS, 1-1/8" X 2-1/4" Face 1" hsg	605,613,626
11-085	Dead Latch 2-3/8" BS, 1"X 2-1/4" Face7/8" hsg	605,613,626
11-096	Dead Latch 2-3/4" BS, 1-1/8" X 2-1/4" Face 1"hsg	605,613,626
11-091	Dead Latch 2-3/4" BS, 1" X 2-1/4" Face 7/8" hsg	605,613,626
11-103	Dead Latch 3-3/4" BS, 1-1/8" X2-1/4: Face 1"hsg	626
11-104	Dead Latch, Circular, 2-3/8" BS. 1" hsg	626
11-105	Dead Latch, Circular, 2-3/4" BS. 1"hsg	626
10-001	T Strike, 1-1/8" X 2-3/4" Square Corner	605,613,619,626,625
10-025	ANSI no box,1-1/4" X 4-7/8" Square Corner	605,613,626,619,625
10-025	ANSI no box,1-1/2" X 4-7/8" Square Corner	613,625,626
10-026	SQ Strike, Full Lip 1-5/8" X 2-1/4"	605,613,626,619,620,609
10-027	Radius Strike, Full Lip 1-5/8" X 2-1/4"	605,613,626,619,620,609
41-005	5" Backset Link	-



Schlage - B250 Deadlatch Locks

B250 Series



Stocked Product

B250P	605,613,626
B252P	605,613,626
B520-086	Mounting Screw 2-1/4" 605
B520-087	Mounting Screw 2-3/8" 605
B520-267	Mounting Screw F/B
B520-271	Drive Pin only 626

B250PD

Single Cylinder Night Latch

Deadlocking latchbolt retracted by key from outside or by inside turn unit. Rotating turn unit and activating holdback feature keeps latch retracted.



B252PD

Double Cylinder Deadlatch


Deadlocking latchbolt retracted by key from either side. No hold-back feature.



- C keyway
- 2-3/8" backset standard, optional 2-3/4" backset available
- square corner T strike 10-001 Standard

Stocked Product

12-100	605,613,626
12-103	605,613,626



12-100

2-3/8" BS square corner 1-1/8" x 2-1/4"

12-103

2-3/4" BS square corner 1-1/8" x 2-1/4"



Schlage - B

B300 BORE DEADBOLT LOCKS - *ANSI A156.5, 1992, GRADE 2*



B60 ANSI E2152

Single Cylinder Deadbolt Lock

Deadbolt thrown or retracted by key from outside or by inside turn unit. Bolt automatically deadlocks when fully thrown.



B62N ANSI E2142

Double Cylinder Deadbolt Lock

Deadbolt thrown or retracted by key from either side. Bolt automatically deadlocks when fully thrown.



B80 ANSI E2192

Door Bolt

Deadbolt thrown or retracted by turn unit only. No outside trim. Bolt automatically deadlocks when fully thrown.

B60 - Deadbolts Series

- C keyway 5 Pin
- Triple option face plates, square corner, round corner and circular
- Adjustable 2-3/8" or 2-3/4" BS
- Standard square corner 10-094 strike
- Door preparation 1-1/2" or 2-1/8"
- Door preparation 2-1/8" bore
- B380 - 1 1/2" Bore only




Stocked Product:

Item	Description	Finish
B60	Single Cylinder	505, 605, 609, 613, 619, 620, 621, 622, 625, 716
B60NSK	Secure Key Cylinder	619, 621, 625
B62	Double Cylinder	505, 605, 609, 613, 619, 620, 621, 622, 625, 716
B62NSK	Secure Key Cylinder	619, 625
B80	Door Bolt	505, 605, 609, 613, 619, 620, 622, 625, 716




Schlage - Strikes and Parts

B360 Strikes



10-064

Thimble strike
circular drive-in




10-092

1/4" Radius
round corner
Full lip, no box
1-5/8" x 2-1/4"



10-094 Standard

Square corner
1-1/8" x 2-3/4" Standard




10-095

Square Corner Box
Full lip, no box
1-5/8" x 2-1/4"


Stocked Product

10-064	Thimble Strike 1-3/16" Diameter	626
10-092	Round Corner Full Lip Strike 1-5/8" X 2-1/4"	605, 609, 613, 619, 620, 625, 626
10-094	Square Corner Strike, 1-1/8" X 2-3/4"	605, 609, 613, 619, 620, 625, 626
10-095	Square Corner Full Lip Strike, 1-5/8" X 2-1/4"	605, 609, 613, 619, 620, 626

B60 Parts



12-288 Square Corner
Adjustable Backset



12-289 1/4" Round Corner
Adjustable Backset

12-288 Square Corner Bolt, 2-3/8"-2-3/4" BS,
1" X 2-1/4" Face Plate

12-289 1/4" Round Corner Bolt, 2-3/8"-2-3/4" BS,
1" X 2-1/4" Face Plate

12-633 Square Corner Bolt, 5" BS,
1" X 2-1/4" Face Plate

Stocked Product

12-288	605, 626, 613, 619
12-289	605, 626, 613, 619
12-633	613, 626



Schlage - BE/FE

BE/FE Series Keypad Locks



BE365 PLY




BE365 CAM



FE595-PLY-x-FLA



FE285 PLY-x-FLA



BE365

Keypad Deadbolt

Deadbolt thrown from outside by keyway turn after pressing Schlage button or by inside thumbturn.

Deadbolt retracted from outside by entering valid user code then rotating keyway turn or by inside thumbturn.

Key can be used to unlock as backup



FE285

Lower Half - Front Entry Set

Combine with BE365 Keypad Deadbolt for Front Entry Set.



Security and Quality

- Grade 2 ANSI/BHMA certified
- Patented commercial grade clutching motor drive ; tested to one million cycles
- Vandal resistant clutching lever and knob design ; free spinning deadbolt turn
- Code control; 6-digit programming code required to add and delete user codes
- Warning code sounds after four incorrect codes entered; keypad disabled for 30 seconds
- Mechanical key override; patent pending

Convenience

- Convenient keyless access; no keys to hide , lose or forget
- Pre-set with random 6-digit programming code and two random 4-digit user codes
- 19 user code capacity ; 10,000 user code combinations
- Easily programmed right at the keypad; no need to remove inside escutcheon
- Blue LEDs illuminate the keypad on demand
- Reversible levers for left- or right -handed doors
- Emergency exit feature; allows for panic-free exit on and FE595
- Locks can be re-keyed to match existing locks
- 9-volt alkaline battery included

Stocked Product

BE365	Camelot/Plymouth	505,613,619,626,716
FE285	Camelot/Accent	505,619,716
FE285	Plymouth/Flair	505,613,619,716
FE595	Camelot/Accent	613,619,716
FE595	Plymouth/Flair	613,619,716



FE595

Keypad Entry with Flex-Lock

Flex Locking, switch between unlocked or automatic re-locking.

Unlocked by valid user code from outside.

Inside lever always unlocked

Key can be used to unlock as back-up





Schlage - FE/BE Link

BE369/FE599 Series Keypad Locks



Enhanced Security Featuring Wireless Encryption

- Anti-pick shield helps to prevent tampering
- Patented latch bolt design provides maximum kick-in resistance
- SSL 128-bit encryption
- Similar security used in online banking



Innovative Technology

- Uses Z-Wave Technology
- Automatic battery level notification
- Non-wearing Keypad, lighted for night time use



Easy Installation with Guaranteed Fit

- Replace your existing lock with a screwdriver in less than 30 minutes
- Fits all standard door preparations
- Reversible lever adapts to both right- and left-hand doors

FE599

LEVER EXTERIOR

LEVER INTERIOR

BE369

DEADBOLT EXTERIOR

DEADBOLT INTERIOR



Finishes




619 Satin Nickel



505 Bright Brass



716 Aged Bronze



Schlage Wireless Bridge



Links all devices in your solution to the internet.

Remote Access interface



Schlage LINK requires a monthly subscription fee to enable the remote access to your computer or cell phone over the internet. This allows you to receive email updates, text messages, remote management and all the other unique benefits the system provides. Only remote features are dependent on subscription.

Stocked Product

BE369 Deadbolt X Deadbolt 505, 619, 716

FE599 Lever by Lever 505, 619, 716

For starter kits specify BE369 X GR: includes Deadbolt, Wireless Bridge, and Light Module.

Or FE599 X GR which includes Lever Lock, Wireless Bridge, and Light Module.



Schlage - Link Accessories

TZEMT043AB32 - Thermostat

Features

- Trane Remote Energy Management Thermostat can be added to the Z-Wave network within your home
- Add the Trane Remote Energy Management Thermostat to your Schlage LiNK System to remotely monitor and control your thermostat from anywhere with any Internet enabled computer and most Internet enabled cell phones
- Actively manage the energy use within your home and reduce energy consumption up to 15% with the energy savings schedule
- When paired with the Schlage Wireless Bridge, utilize advanced thermostat features through the Schlage LiNK web portal
- Energy Star compliant



Stocked Product:

Item	Description
TZEMT043AB32	Thermostat

WCE100 & WCW100 Cameras

Features

- The Schlage Wired Network Camera allows you to remotely monitor your home allowing you to stay in touch and in control
- View live video from anywhere with any Internet enabled computer and most Internet enabled cell phones
- Securely connects to the web via your router and requires a Schlage LiNK account for video functionality
- High and low resolution video options: select the level of quality that best fits your technology needs
- Installation and set up are simple- you'll be up and running quickly
- Includes: one Schlage IP Wired Color Camera, one mounting bracket, one 6ft Ethernet cable and A/C power adapter
- Only compatible with the Schlage LiNK Solution
- For indoor use only



Stocked Product:

Item	Description
WCE100	Wired Camera
WCW100	Wireless Camera

Features

- The Schlage Wireless Network Camera allows you to remotely monitor your home allowing you to stay in touch and in control
- View live video from anywhere with any Internet enabled computer and most Internet enabled cell phones
- Securely connects to the web via your router and requires a Schlage LiNK account for video functionality
- High and low resolution video options - select the quality that best fits your technology needs
- Installation and set up are simple- you'll be up and running quickly
- Includes: one Schlage IP Wireless Color Camera, mounting bracket, and A/C power adapter
- Only compatible with the Schlage LiNK Solution
- For indoor use only
- Wireless router required for wireless use





Schlage - B60 Deadbolts

B60 SERIES DEADBOLT

Three-piece design

Ready to go out of the box for quick installation.

Sleek

Low profile face is almost impossible to grab with a wrench and cannot be unscrewed.

Versatile

Shield is easily removed to fit 1 1/2" cross-bore prep.

Stronger

1/2" of bolt left in housing when bolt is thrown for added kick-in resistance.

Tougher

Thicker metal strike reinforcer has 3" screws for greater strength in the jamb.

Secure

Integrated anti-pick shield with SNAP & STAY™ self-adjusting tension provides added security and simplifies installation.

Required

1" door prep required for larger bolt housing.

Solid

Zinc bolt has hardened steel pin inside that spins in response to sawing attack and can't be cut through.

Bigger

Bolt diameter is 10% larger than typical bolts for maximum kick-in resistance.

Rounded

Radius corners on strike plate for more attractive installation. 1 1/8" x 2 3/4" round corner strikes come standard.

UL Listed

Optional 3-hour UL Listed fire cup/latch available.

Streamlined

Deep drawn housing delivers a seamless piece of steel from beginning of helix to back of bolt for maximum latch/bolt reliability. Fits both 2 3/8" and 2 3/4" backsets.

Unprecedented

Adjustable backset has the industry's only helical design that locks into place with no adjusting during installation. Fits both 2 3/8" and 2 3/4" backsets.

Code Compliant

ADA compliant thumbturn.

Available Functions:


B60 - Single cylinder dead bolt lock

B62 - Double cylinder dead bolt lock

B80 - Door bolt

B81 - Door bolt with trim (Special Order)

Designed to fit virtually any door.



Standard door prep for B-Series installation.

Standard Strike



10-116*
1 1/8" x 2 3/4"



Schlage - B500 Deadbolts

B500 SERIES DEADBOLT

Certifications: ANSI A156.5, 2001, Grade 2. Available UL Listed for three-hour fire door.

Door range: 1-3/8" to 1-3/4" thick (35 mm to 44 mm) standard. Available for over 1-3/4" to 2-1/4" and over 2-1/4" to 4" assembled to order. **Special Order.**

Backset: 2-3/8" (60 mm) or 2-3/4" (70 mm) adjustable backset standard.

Deadbolts: 1" x 2-1/4" (25 mm x 57 mm) square corner.


Strikes: Square corner 1-1/8" x 2-3/4" (29 mm x 70 mm) strike, no lip, furnished with metal dust box standard.

Adapter Rings: Trim ring with anti-pry shield standard, 2-1/2" (63 mm) outer diameter. Removable to fit 1-1/2" crossbore door preps.



Specifications:

Door Preparation



Functions:

ANSI A156.5, 2001, Grade 2

Bored Deadbolt Locks

SCHLAGE ANSI


B560P E2152



Single Cylinder Deadbolt Lock

Deadbolt thrown or retracted by key from outside or by inside turn unit. Bolt automatically deadlocks when fully thrown.

B562P E2142



Double Cylinder Deadbolt Lock*

Deadbolt thrown or retracted by key from either side. Bolt automatically deadlocks when fully thrown.

B580 E2192



Door Bolt

Deadbolt thrown or retracted by turn unit only. No outside trim. Bolt automatically deadlocks when fully thrown.

Stocked Product

B560P	605, 609, 613, 619, 625, 626
B562P	605, 609, 613, 625, 626
B580	605, 609, 613, 625, 626

B 500 Series Strikes, Bolts and Accessories

Stocked Product

10-064	Thimble Strike	626
10-094	Square Corner Strike 1-1/8" X 2-3/4"	605,609,613, 619,620,625,626
38-031	G00F Ring, 2-1/2" Diameter for 2-1/8" Door prep	605,609,613,625,626
A501-565	Reinforcer for 1-3/8" Thick Metal Doors	no finish



10-064



10-094
STANDARD



38-031
GOOF RING



A501-566
A501-565



Schlage - B600 Deadbolts

B600 SERIES DEADBOLT

Feature:

Certification	ANSI A156.5 Grade 1, UL Listed for 3 hour door
Deadbolt	1-1/8" x 2-1/4" square corner faceplate, 1" housing 1" throw
Backset	Standard 2-3/4", also available 2-3/8"
Cylinder	Standard classic "C" also available C123 Everest

Option

- Available prepped for Removable Core (RC) less core; specify "J"
- Available prepped F/ Best IC Core (Small Format) less core specify "B"

For Everest keyway specify suffix EV after part number i.e. 9SCHB660P605EV
Door preparation 1-1/2" or 2-1/8" bore size

Stocked Product:

B660P	605,613,625,626,613/626
B660B	626
B660J	613,626
B661P	626
B662P	605,613,625,626
B662J	626
B663P	626
B663J	613,626
B664P	626



B660P ANSI E2151

Single Cylinder Deadbolt Lock

Deadbolt thrown or retracted by key from outside or by inside turn unit. Bolt automatically deadlocks when fully thrown.



B661P ANSI E2161

One-way Deadbolt Lock

Deadbolt thrown or retracted by key only. Blank plate inside. Bolt automatically deadlocks when fully thrown.



B662P ANSI E2141

Double Cylinder Deadbolt Lock

Deadbolt thrown or retracted by key from either side. Bolt automatically deadlocks when fully thrown.



B663P ANSI E2111

Classroom Deadbolt Lock

Deadbolt thrown or retracted by key outside. Inside turn unit will retract bolt only. Bolt automatically deadlocks when fully thrown.




B664P ANSI E2101


Cylinder Lock

Deadbolt thrown or retracted by key from one side. No inside trim. Bolt automatically deadlocks when fully thrown.


B660 Parts



12-630



12-631




12-632



10-087



10-055



12-633

Stocked Product:

10-055	Square Corner Strike, 1-1/8" X 2-3/4" FP	605,613,626
10-087	ANSI Strike With 1-3/16" Lip	605,613,619, 620,625,626
12-630	Bolt, 2-3/8" BS, 1-1/8" X 2-1/4" Face Plate	605,613,626
12-631	Bolt, 2-3/4" BS, 1-1/8" X 2-1/4" Face Plate	605,613,626
12-632	Bolt, 3-3/4" BS, 1-1/8" X 2-1/4" Face Plate	626
12-633	Bolt, 5" BS, 1-1/8" X 2-1/4" Face Plate	613,626
B610-044	Tail Piece and Retainer F/B660P	
B610-045	Tail Piece and Retainer F/B662P	



Schlage - D Locks

ND LEVERS

Standard Features

Certification	Exceeds ANSI A156.2, Series 4000, Grade 1, UL Listed for 3 hour fire door. Meets A117.1
Feature	Tested to exceed three million cycles
Latch	1-1/8" x 2-1/4", Square corner faceplate, 1" housing diameter, 1/2" throw
Strike	1-1/4" x 4-7/8", ANSI, Square corner, no box
Backset	2-3/4" standard, other backsets available
Cylinder	Classic C keyway, also available C123 Everest Keyway
Door Range	1-5/8" - 2-1/8"

Options:

- Available prepped for Removable Core (RC) less core; specify "J"
- Available prepped F/ Best IC Core (Small Format) less core specify "B"

RHODES



SPARTA



OMEGA



ND10S ANSI F75

Passage Latch

Both levers always unlocked. Inside lever is always free for immediate egress.



ND170

Single Dummy Trim

Dummy trim for one side of door. Used for door pull or as matching inactive trim.



ND53PD ANSI F109

Entrance Lock

Turn/push-button locking; pushing and turning button locks outside lever, requiring use of key until button is manually unlocked. Push-button locking; pushing button locks outside lever until unlocked by key or by turning inside lever. Inside lever is always free for immediate egress.



ND25

Exit Lock

Blank plate outside, Inside lever always unlocked. Inside lever is always free for immediate egress.



ND60PD ANSI F88

Vestibule/Classroom Security Lock

Latch retracted by key from outside when outside lever is locked by key in inside lever. Inside lever is always unlocked. Inside lever is always free for immediate egress.



ND40S ANSI F76

Bath/Bedroom Privacy Lock

Push-button locking. Can be opened from outside with small screwdriver. Turning inside lever or closing door releases button. Inside lever is always free for immediate egress.



ND66PD ANSI F91

Store Lock

Key in either lever locks or unlocks both levers.



ND50PD ANSI F82

Entrance/Office Lock

Push-button locking. Push-button locks outside lever until unlocked with key or by turning inside lever. Inside lever is always free for immediate egress.



ND70PD ANSI F84

Classroom Lock

Outside lever locked and unlocked by key. Inside lever always unlocked. Inside lever is always free for immediate egress.



Schlage - D Locks



ND73PD ANSI F90

Corridor Lock

Locked or unlocked by key from outside. Push button locking from inside. Turning inside lever or closing door releases button. When outside lever is locked by key it can only be unlocked by key. Inside lever is always unlocked. Inside lever is always free for immediate egress.



ND85PD

Faculti Restroom Lock

Outside lever fixed. Entrance by key only. Push-button in inside lever activates visual "occupancy" indicator, allowing only emergency master key to operate. Turning inside lever or closing door releases visual occupancy indicator. Rotation of inside spinner-button provides lock-out feature by keeping indicator thrown. Inside lever is always free for immediate egress.



ND75PD ANSI F110

Classroom Security Lock

Key in either lever locks or unlocks outside lever. Inside lever is always unlocked. Inside lever is always free for immediate egress.



ND91PD ANSI F82

Entrance/Office Lock

Push-button locking. Push-button disengages outside lever until unlocked with key or by turning inside lever.



ND80PD ANSI F86

Storeroom Lock

Outside lever fixed. Entrance by key only. Inside lever always unlocked. Inside lever is always free for immediate egress.



ND92PD ANSI F109

Entrance Lock

Turn/push-button locking; pushing and turning button disengages outside lever, requiring use of key until button is manually unlocked. Push-button locking; pushing button disengages outside lever until unlocked by key or by turning inside lever.



ND80PDEL

Electrically Locked (Fail Safe)

Outside lever continuously locked electrically. Unlocked by key outside or by switch or power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always free for immediate exit. Inside lever is always free for immediate egress.



ND93PD ANSI F88

Vestibule Lock

Latch retracted by key from outside when outside lever is disengaged by key in inside lever. Inside lever is always unlocked.



ND80PDEU

Electrically Unlocked (Fail Secure)

Outside lever continuously locked until unlocked by key or electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always free for immediate exit. Inside lever is always free for immediate egress.



ND94PD ANSI F84

Classroom Lock

Outside lever disengaged and unlocked by key. Inside lever always unlocked.



ND82PD ANSI F87

Institution Lock

Both levers fixed. Entrance by key in either lever.



ND95PD ANSI F110

Classroom Security Lock

Key in either lever locks or unlocks outside lever. Inside lever is always unlocked.



ND96DP ANSI F86


Store Room

Outside lever always disengaged. Entrance by key only. Inside lever always unlocked.



Schlage - D Locks


ND Series Latches



LATCH 13-047

Dead Latch

Dimension:
1-1/8" x 2-1/4" square corner
1/2" throw
2-3/4 Backset




LATCH 13-048

Spring Latch

Dimension:
1-1/8" x 2-1/4" square corner
1/2" throw
2-3/4 Backset


D SERIES PARTS




**10-013
T STRIKE**




**10-025
ANSI Strike**



**140-19
LATCH
2-3/4 DL**




43-005 Link



**140-47
LATCH
2-3/8DL**



**K510-066
Dust Box**



**140-01
2-3/4 SL**

Stocked Product:

10-013	605,613,626
10-025	605,613,619,625,626
10-019	605,613,625
43-005	N/A
14-047	605,613,626
K510-066	N/A
14-001	613,626

Stocked Product

Function:

ND170
ND10S
ND40S
ND50P
ND53P
ND70P
ND80P

Design:

Rhodes
Sparta
Omega

Finish:

605
613
619
625
626

Function:

ND25D
ND91P
ND92P
ND93P
ND94P
ND95P
ND96P

Design:

Rhodes

Finish:

626

Function:

ND60P
ND66P
ND75P
ND80EU/EL
ND85P

Design:

Rhodes
Sparta
Omega

Finish:

626

Function:

ND82
ND92P
ND93P
ND94P
ND96P

Design:

Rhodes

Finish:

613
626

Design:

Sparta

Finish:

626

For "J" prep option:

Function:

ND50J 626 Spa
ND53J
ND70J
ND80J

Design:

Rhodes
Spa

Finish:

626
613

Design:

Sparta

Finish:

626

ND91J

Rhodes

626

ND92J

Design:

Rhodes
Sparta

Finish:

626

ND94J

ND96J

For "B" Best prep Small Format IC core

Function:

ND50B
ND53B
ND70B
ND80B
ND91B
ND92B
ND94B
ND96B

Design:

Rhodes

Finish:

613
626

Function:
ND93B

Design:
Rhodes

Finish:
626



Schlage - *F Locks*

F FUNCTIONS - *ANSI A156.2, SERIES 4000, GRADE 2*

- Radius and circular face plates for F10/F40 functions
- Radius, square, and circular face plates for F51, F358 function
- 6 pin solid brass cylinder, keyed 5 pin
- Universal backset either 2-3/8" or 2-3/4"
- 1-3/8" - 1-3/4" thick door



F60

Entrance Lock

Deadbolt thrown or retracted by key from outside or by inside turn unit. Latch retracted by thumbpiece from outside or by inside knob/lever.

Consists of:

F58 Outside trim

F59 Inside trim



F93

Dummy Trim

Outside and Inside Dummy Trim

For use as door pull or as dummy

trim on inactive leaf of pair of doors.

Fixed thumbpiece and inside knob/

lever. Dummy cylinder with inside plate.

Consists of:

F92 Outside trim

F94 Inside trim



F10 ANSI F75

Passage Latch

Both knobs/levers always unlocked.



F170

Single Dummy Trim

Dummy trim for one side of door.

Used for door pull or as matching inactive trim.



F40 ANSI F76

Bath/Bedroom

Privacy Lock

Push-button locking. Can be opened from outside with small circular tool. Turning inside knob/lever releases button.



F51 ANSI F81

Entrance Lock

Unlocked by key from outside when outer knob is locked by turn-button in inside knob. Inside knob/lever always unlocked.




Schlage - *F Locks*


F Locks Handlesets

F58-OUTSIDE KEYED / with new style deadbolt (60) F58


F92-OUTSIDE DUMMY TRIM / with new style deadbolt (60) F92




BOWMAN
Symbol **BOW**




CAMELOT
Symbol **CAM**



CENTURY
Symbol **CEN**



PARTHENON
Symbol **PAR**



PLYMOUTH
Symbol **PLY**

Stocked Product:

F58/F92	Bowman	505,605
F58/F92	Camelot	505,605,609,613,619,620,622,625,716
F58/F92	Century	605,619,625
F58/F92	Parthenon	609
F58/F92	Plymouth	505,605,609,613,619,620,625,716
F58/F92	Addison	505,619,621,622,625,716



Addison
Symbol **ADD**




Schlage - *F Locks*

F Locks Handlesets Inside Trim

F359 - INSIDE / with new style (B60) F59

F394 - DUMMY / with new style (B60) F94



ACCENT

Symbol **ACC** (Handed)



AVILA

Symbol **VLA** (Handed)



FLAIR

Symbol **FLA** (Handed)




SIENA

Symbol **SIE**




AVANTI

Symbol **AVA** (Handed)




GEORGIAN

Symbol **GEO**



ORBIT

Symbol **ORB**



PLYMOUTH

Symbol **PLY**



MANHATTAN

Symbol **MNH** (Handed)


Stocked Product:

F359/F394	Accent	605,609,613,619,620,621,622,625,716
F359/F394	Avanti	605,613,619,620,625,716
F359/F394	Avila	619
F359/F394	Flair	605,609,613,619,620,625,626,716
F359/F394	Georgian	605,609,619,620,621,716
F359/F394	Manhattan	605,619,625,626
F359/F394	Orbit	605,613,619,620,625,
F359/F394	Plymouth	605,613,619,620,622,625,716
F359/F394	Siena	605,609,613,619,620,625,716




Schlage - *F Locks*


F Locks Knob Complete




BELL
Symbol **BEL**



GEORGIAN
Symbol **GEO**



ORBIT
Symbol **ORB**




PLYMOUTH
Symbol **PLY**



SIENA
Symbol **SIE**


F Locks Lever Complete



ELAN
Symbol **ELA**



FLAIR
Symbol **FLA**



JAZZ
Symbol **JAZ**



ACCENT
Symbol **ACC**



AVANTI
Symbol **AVA**



MANHATTAN
Symbol **MNH**

Stocked Products

F10,F170,F40 and F51 Functions: (F170 Function is Handed)

Accent	605,609,613,619,620,622,625,716
Avanti	605,613,619,620,625,716
Bell	605,626
Elan	605,609,625,626
Flair	605,609,613,619,320,625,626,716
Georgian	605,609,619,625,716
Jazz	605,
Manhattan	605,619,625,626
Orbit	605,609,613,619,620,625,626,716
Plymouth	605,613,619,620,622,625,626,716
Siena	605,609,613,619,620,625,716

F40 Split Finish X 625

Accent	605
Avanti	605,613
Bell	605,
Flair	605
Georgian	605,619
Orbit	605
Plymouth	605
Siena	605,613


505 finish

Accent	F170,F10,F51
Avanti	F170,F10,F51
Bell	F170,F10,F51
Flair	F170,F10,F51
Georgian	F170,F10,F51
Manhattan	F51
Orbit	F170,F10,F51
Plymouth	F170,F10,F51
Siena	F51




Schlage - F Parts


F Lock Strikes



10-001
Square corner
T Box Strike
1-1/8" x 2-3/4"




10-026
Square corner
Full lip, no box
1-5/8" x 2-1/4"




10-027
1/4" radius, round corner
Full lip, no box
1-5/8" x 2-1/4"


F Series - Latches And Parts




16-200
Spring latch
Square corner
2-3/8" or 2-3/4" BS




16-201
Spring latch
Round corner
2-3/8" or 2-3/4" BS



16-207
Dead latch
Square corner
2-3/8" or 2-3/4" BS
with A501-878 Front Adapter



16-209
Dead latch
Round corner
2-3/8" or 2-3/4" BS



16-126
Dead Latch
Square Corner
5" BS

Stocked Products

10-001 Square Corner Strike, 1-1/8" X 2-3/4" FP

Finishes 605,613,619, 625,626

10-026 Square Corner Strike, Full Lip, 1-5/8" X 2-1/4" Face Plate

Finishes 605,609,613,619,620,626

10-027 Round Corner Strike, 1/4" Radius, Full Lip, 1-5/8" X 2-1/4" FP

Finishes 605,609,613,619,620,626

16-200 Spring Latch, Square Corner, 2-3/8"-2-3/4" BS,

16-201 Spring Latch, Round Corner, 2-3/8"-2-3/4" BS

16-207 Dead Latch Square Corner, 2-3/8"-2-3/4" BS

16-208 Dead Latch, Round Corner, 2-3/8"-2-3/4" BS


Above Stock Finishes: 605,609,613,619,620,626

16-126 Dead Latch, Square Corner, 5" BS 605

F506-000 Mounting Screws F/Chassis 605,632

F506-237 Mounting Screws F/Strike or Latch 605,632

F206-437 Single Cylinder Handleset Thick Door Kit, 2"-2-1/2" 605,613,619,626



F506-000

Mounting screws only
for chassis all F functions
RPH machine screws



F506-237

For latch or strike
PFH wood screws



Schlage - FA Handleset

Handlesets - Levers - Knobs - Deadbolts



Adjustable Handleset



Lever Interchange



Lifetime Satisfaction



Accent Bow Keys

FEATURES:

- Interchangeable knobs and levers
- Decorative reversible levers
- Handlesets with adjustable through bolt posts, retrofits over 70% of existing competitors' handlesets, adjusts from 8-3/8" to 9-7/8" ctr to ctr
- Exceed ANSI Grade 2
- Solid forged brass handlesets - all metal working parts
- Concealed screws
- Handlesets can be used with standard Schlage F series products
- Adjustable backset 2-3/8" and 2-3/4"

Stocked Products

FA358	Florence	505,613,619,620,622,716
FA358	Monaco	613,619,625,716
FA358	Monticello	505,613,619,620,
FA358	Sutton	613,625
FA358	Venice	505,613,619,620,625,716
FA358	Wakefield	505,613,619,620,622,716

Handlesets Designs


Venice



Wakefield




Florence



Monticello



Monaco



Sutton





Schlage-FA Handleset Inside Trim

FA359 - Inside Active - All Levers Handed

FA359 - MER
Merano



FA359 - MER x FLO
Merano x Florence



FA359 - MER x VEN
Merano x Venice



FA359 - CHP
Champagne



FA359 - CHP x FLO
Champagne x Florence



FA359 - CHP x VEN
Champagne x Venice



FA359 - CLT
Callington



FA359 - CLT x FLO
Callington x Florence



FA359 - CLT x VEN
Callington x Venice



FA359 - STA
St. Annes



FA359 - STA x FLO
St. Annes x Florence



FA359 - STA x VEN
St. Annes x Venice



FA359 Inside Active

FA359 - DNB
Danbury



FA359 - AND
Andover



Stocked Products

FA359 Handleset Inside Trim

FA359 Merano

619,622,625,626,716

FA359 Merano Florence

619,625,626,716

FA359 Merano X Venice

619,625,626,716

FA359 Champagne

605,613,619,620,625,716

FA359 Champagne X Florence

605,613,619,620,625,716

FA359 Champagne X Venice

605,613,619,620,625,716

FA359 Callington

605,613,619,622

FA359 Callington X Florence

605,613,619

FA359 Callington X Venice

605,613,619

FA359 St. Annes

605,613,619,620,625,716

FA359 St. Annes X Florence

605,613,619,620,716

FA359 St. Annes X Venice

605,613,619,620,716,625

FA359 Andover

605,613,619,625,716

FA359 Danbury

605,613,619,622,716



Schlage - FA Locks

Reversible Levers



Champagne - CHP



Callington - CLT



MERANO - MER



St. Annes - STA



Danbury - DNB



Andover - AND



Stocked Products

FA series Levers and Knobs FA170, FA10, FA40, FA51 (FA170 Function is Handed)

Andover	605,613,619,625,716
Champagne	605,613,619,620,625,716
Callington	605,613,619,622,716
Danbury	605,613,619,622,716
Merano	619,622,625,626,716
St Annes	605,613,619,620,625,716

505 Lifetime Finish

Andover	FA10/FA51	505
Champagne	FA10/FA51	505
Callington	FA10/FA51	505
Danbury	FA10/FA51	505
St Annes	FA10/FA51	505



Schlage - *L Locks*

Standard Features

Certification	L9000: ANSI A156.13, 1994, Series 1000, Grade 1 Operational, Grade 1 Security, UL Listed for 3hour fire door (except L9076 and L9077). With Interchangeable Core Cylinders: Grade 2 Security
Case Size	L9000: 4-7/16" x 6-1/6" x 1"; L400: 4-7/16" x 3-5/8" x 1"
Armor Front	L9000: 1-1/4" x 8"; L400: 1-1/4" x 5-19/32"
Deadbolt	1" Throw stainless steel
Latchbolt	3/4" Throw stainless steel with anti-friction tongue
Strike	L9000: 1-1/4" x 4-7/8" Square Corner, 1-3/16" lip, box
Backset	2-3/4"
Cylinder	Cassic C keyway Also available in Schlage Everest C123 keyway.
Door Range	1-3/4"



L9010 ANSI F01

Passage Latch

Latchbolt retracted by knob/lever from either side at all times.



L9040 ANSI F22

Bath/Bedroom Privacy Lock

Latchbolt retracted by knob/lever from either side unless outside is locked by inside turn piece. Turning inside knob/lever or closing door unlocks outside knob/lever. To unlock from outside, remove emergency button, insert emergency turn (furnished in access hole and rotate.)



L9050 ANSI F04

Office and Inner Entry Lock

Latchbolt retracted by knob/lever from either side unless outside is made inoperative by key outside or by turning inside thumbturn. When outside is locked, latchbolt is retracted by key outside or by knob/lever inside. Outside knob/lever remains locked until thumbturn is returned to vertical or unlocked by key. Auxiliary latch deadlocks latchbolt when door is closed.



L9070 ANSI F05

Classroom Lock

Latchbolt retracted by knob/lever from either side unless outside is locked by key. Unlocked from outside by key. Inside knob/lever always free for immediate exit. Auxiliary latch deadlocks latchbolt when door is closed.



L9080 ANSI F07

Storeroom Lock

Latchbolt retracted by key outside or by knob/lever inside. Outside knob/lever always inoperative. Auxiliary latch deadlocks latchbolt when door is closed.



L9453 ANSI F20

Entrance Lock

Latchbolt retracted by knob/lever from either side unless outside is locked by 20° rotation or thumbturn. Deadbolt thrown or retracted by 90° rotation of thumbturn. When locked, key outside or knob/lever inside retracts deadbolt and latchbolt simultaneously. Outside knob/lever remains locked until thumbturn is restored to vertical position. Throwing deadbolt automatically locks outside knob/lever. Auxiliary latch deadlocks latchbolt when door is closed.



L9456 ANSI F13

Corridor Lock

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key outside or inside thumbturn. Throwing deadbolt locks outside knob/lever. Turning inside knob/lever simultaneously retracts deadbolt and latchbolt and unlocks outside knob/lever.



L9465

Closet/Storeroom Lock

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key outside.



L9496

Privacy With "OCCUPIED" Indicator


Knob/lever retracts latchbolt from either side. Deadbolt thrown or retracted by key outside (retraction by key required in the event of an emergency) or inside thumbturn. Throwing deadbolt locks outside knob/lever and displays "OCCUPIED" plate. Rotating inside knob/lever simultaneously retracts both deadbolt and latchbolt and unlocks outside knob/lever. Inside lever is always free for immediate egress. (Previously XLII-885)




Schlage - *L Locks*

L Locks

03A & 03B
A ROSE 2-1/8" DIA.
B ROSE 2-9/16" DIA



06A & 06B
A ROSE 2-1/8" DIA.
B ROSE 2-9/16" DIA




17A & 17B
A ROSE 2-1/8" DIA.
B ROSE 2-9/16" DIA




Stocked Product

613, 625, 626


03L



06L



17L




Stocked Product

626

L Locks Parts


10-072
STANDARD STRIKE



Stocked Product

605,613,626

L283-040
SPRING CAGE



Stocked Products:

10-072 Strike, 1-1/4" X 4-7/8" 605,613,626
L283-040 Spring Cage for Levers



Schlage - S Locks

S LOCKS - A156.2 SERIES 4000 GRADE 2

Standard Features

Certification	ANSI A156.2, Series 4000, Grade 2
Latch	1" x 2-1/4", Square corner
Strike	ANSI strike 10-025
Backset	Adjustable 2-3/8" or 2-3/4"
Door Range	1-3/8" - 1-7/8" thickness
Keyway	Classic "C", Everest available upon request

SATURN - SAT



S10S ANSI F75

Passage Latch
Both levers always unlocked.



S40S ANSI F76

Bath/Bedroom Privacy Lock
Push-button locking. Can be opened from outside with small screwdriver. Turning inside lever or closing door releases button.



S80PD ANSI F86

Storeroom Lock
Outside lever fixed. Entrance by key only. Inside lever always unlocked.



S51PD ANSI F81


Entrance Lock
Unlocked by key from outside when outside lever is locked by turn-button in inside lever. Inside lever always unlocked.



S70PD ANSI F84

Classroom Lock
Outside lever locked and unlocked by key. Inside lever always unlocked.


NEPTUNE - NEP



Stocked Product:

S10S, S40S, S51P, S70P, S80P

Design	Finishes
Saturn	626
Neptune	613,626



16-203
STANDARD

16-203 UL Latch, Square Corner, 2-3/8-2-3/4" BS, 1" X 2-1/4" FP
Includes A501-878 latch front adapter For 1-1/8" preparation and G506-815 sleeve for 1" housing

Stocked parts:

16-203 613,626 Finish



Schlage - S200 Locks

S 200 Locks - Ansi A156.12, 1992, Grade 2



S210D ANSI F95

Entrance, Single Locking

Deadbolt operated by key from outside or by turn unit from inside. Bolt automatically deadlocks when fully thrown. Latch retracted by lever from either side. Turning inside lever retracts deadbolt and latch simultaneously for immediate exit.



S251 NEP



S251PD ANSI F97

Entrance, Double Locking

Deadbolt operated by key from outside or by turn unit from inside. Bolt automatically deadlocks when fully thrown. Outside lever unlocked by key from outside when locked by turn button in inside lever. Turning inside lever retracts deadbolt and latch simultaneously for immediate exit. Latch automatically deadlocks when door is closed.



S251 SAT



Standard Features

All S200 stocked standard.

2-3/4" backset, optional 2-3/8" backset available.

UL Listed for 3 hour fire door.

Strike 1-1/8" x 2-1/4" square corner faceplate/T Strike

Door Range 1-3/8" - 2" thickness

Keyway Classic "C", Everest available upon request

Center to Center 4" CTC


Stocked Product S210,S251

Design	Finishes
Saturn	626
Neptune	613,626

Deadbolt


12-073 2-3/8" BS

12-076 2-3/4" BS



Standard Deadlatch

16-228 2-3/8" or 2-3/4" BS



Stocked Parts 613,626 finishes

12-073	Bolt, Square Corner, 2-3/8" BS, 1-1/8" X 2-1/4" FP 1", hsg
12-076	Bolt, Square Corner, 2-3/4" BS, 1-1/8" X 2-1/4" FP, 1" hsg
16-228	Dead Latch, Square Corner, 2-3/8"-2-3/4" BS, 1-1/8" X 2-1/4" Face Plate, 1" hsg





Schlage

Cylinders & Tools

20-001 MORTISE CYLINDER WITH B502-191 CAM

09-485 MORTISE CYLINDER WITH L583-254 CAM



**CYLINDER WITH
COMPRESSION RING
SPRING**



**B502-191
CAM**





**L583-254
CAM**

Stocked Product

CYLINDER TYPE	LENGTH	KEYWAY	FINISHES
20-001	1-1/8", 1-1/4"	C, E	605, 613, 625, 626
20-001	1-3/8"	C, E	613, 625
09-485	1-1/8", 1-1/4"	C, E	605, 613, 625, 626
MCYL118EV(09-485)	1-1/8"	C123 EVEREST(EV)	605, 613, 625, 626

20-022 - Rim Cylinders


Horizontal tailpiece (# 2 bar)



Stocked Product

CYLINDER TYPE	KEYWAY	FINISHES
20-022	C, E	605, 613, 626, 626
20-022	C123(EV)EVEREST	613, 626

40-100 Universal Cylinders For A, AL, D, H & ND Series



- A-series (all designs)
 - AL-series
 - D-series knobs
 - D-series levers
 - H-series knob (all designs)
 - ND-series levers
- Cylinders are furnished 0-bitted with two (2) blank keys

Stocked Product

CYLINDER TYPE	KEYWAY	FINISHES
40-100	C, E, C123	605, 626
40-100	CE, EF, F, FG, G	626

23-000 ND Series Hotel

Stocked Product


CYLINDER TYPE	KEYWAY	FINISHES
23-000	C, E	626



Schlage

Cylinders & Tools


23-030 Interchangeable Core



Stocked Product:

23-030	Keyways C,E	606,626
23-030	Keyway C123	606,626
23-030	Keyway CE	626
23-030	Keyway E	626
23-030	Keyway F	626
23-030	Keyway FG	626
23-030	Keyway G	626
23-030	A622 Temp Core	622
48-056A	Temp Control Key	
48-101A	Temp Operating Key	

Mortise Cylinder - Full Size Interchangeable Core



ITEM

26-090
26-091
30-007
30-137

CONTAINS

Housing only less compression ring & spring
Complete with compression ring & spring
Housing only with compression ring & spring
Housing only with compression ring & spring
and 3/8" blocking ring

APPLICATION


Von Duprin straight cam
Von Duprin straight cam
L lock, L escutcheon
L lock, A & B rose

Stocked Product:

26-090	Mortise Housing only	613,626
26-091	Complete Cylinder, "C" "1" Bitted	613,626 Excludes Control Keys
30-007	Mortise Housing only F/Lock L Trim	626
30-137	Mortise Housing only F/Lock A Trim	626
80-108	Mortise Housing only, SFIC, With L Cam	613,626

Rim Cylinder - Full Size Interchangeable Core

20-057



Stocked Product:


20-057	Keyway C	613,626
20-079	Rim Housing Only less core	613,626
80-129	Rim Housing Only, SFIC format	613,626



Schlage

Cylinders Parts


B502-191
CAM



L583-254
CAM



C603-524
TAILPIECE



Stocked Product:


DESCRIPTION

K510-711	A/R cam for I/C mortise housing
K510-730	Von Duprin cam for I/C mortise housing
L583-255	"L" Lock cam for I/C mortise housing
B502-292	A/R cam for standard mortise cylinder
B502-191	Von Duprin cam for standard mortise cylinder
B502-468	Cam screws
L583-254	"L" Lock cam for standard mortise cylinder
L583-255	"L" Lock cam for Mortise Cylinder IC
C603-524	Tail piece for "D" levers

Plugs only


33-006 Rim/key in Lever	Keyways: C,E,EF,F,FG,G,C123	606,626
33-406 Mortise 1-1/8"/1-1/4"	Keyways C,E,F	606,626
33-406 Mortise 1-1/8"/1-1/4"	Keyways CE,EF,FG,G	626

Key Blanks




35-100
5 Pin Standard

35-101
6 Pin Standard



35-130
5 Pin Unembossed


35-131
6 Pin Unembossed



35-102
Emergency
Key Blank



35-009
Everest



35-056
Interchangeable Core
Control Key Blank

35-003
Control Keyblank
Everest

Stocked Product

KEYBLANK	KEYWAY
35003	C123
35100	C, E, F
35101	C, CE, E, EF, F, FG, G
35130	C, E
35131	C, E
35009	C123
35056	C, CE, E, EF, F, G
35102	C, E, F

Pins & Misc

Stocked Product

34-101,102,103	Top pins (100 per bag)
34-202 thru 34-209	Master Pins (100 per bag)
34-300 thru 34-309	Bottom pins (100 per bag)
C503-113	Springs (100 per bag)
C503-118	Cylinder Cap only
34-401	Construction Balls



Schlage


Tools & Kits



40-119

Metal keying kit with tools


- Bottom pins
- Top pins
- Retainer caps
- Retainer cap pin springs
- Shim stock
- Follower bar
- Master pins
- Pin springs
- Retainer cap pins
- Tweezers
- Removal tool



40-133

Home secure keying kit


- Bottom pins
- Top pins
- Removal tool
- Cylinder springs
- Retaining rings
- Retainer cap pin springs
- B-series cylinder bars
- B-series drivers
- Construction balls
- Master pins
- Follower bar
- Key gage
- tweezers
- Retainer caps
- Shim stock
- Retainer cap pins



40-134

Plastic keying kit

- Bottom pins
- Top pins
- Follower bar
- Pin springs
- Retainer cap pins
- Key gage



40-104

Standard


40-128 SFIC

Key gage



40-080

Thru bolt jig



39-029

Finish selection kit

Stocked Product

Tools

- M540-051
- M540-056

- Follower tool
- Cap removal Tool



Schlage




KS23D

FEATURES & SPECIFICATIONS

- Solid Brass Body Resists Corrosion For All Weather Performance
- Molybdenum Hardened Steel Shackle Offers Greater Cut Resistance
- Double Deadbolt Locking Mechanism Provides Extra Security
- Patented Interchangeable Shackle Design Allows For Easy Disassembly

Standard Cylinder Features Include:

- Schlage Conventional Key-In-Knob (KNK) Cylinder
- 6-Pin Solid Brass Cylinder (Pinned 5) Offers Increased Pick Resistance
- Two Nickel Silver Cut Schlage Keys



Kryptonite Brass Padlock
KS23D

ASTM STANDARDS

- Meets or exceeds ASTM standards for standard steel shackle, shackle cutting and corrosion resistance.

Body Size

W 1-25/32"
H 2-3/16"

Shackle Dimension

A 5/16"
B 1-1/2"
C 3/4"

Stocked Product

KS23D
C, E Keyway 606



Schlage - *Electronic Locks*

CO 100 - Offline Electronic Lock

Standard Features

- Manually Programmable
- Up to 500 unique 3-6 digit PIN codes stored on the lock
- ANSI/BHMA A156.25 Grade 1 certified and UL 294 listed
- Classroom/Storeroom function and Office function available
- Chassis options include cylindrical, mortise, and exit trim
- Compatible with most major brands of key systems and exit devices
- Normal, toggle, pass through, and freeze credential attributes available



Images shown are not to scale.

Stocked Products

ITEM #	DESCRIPTION	FINISH
CO-100-CY-70-KP-RHO	KEYPAD, STORAGE/CLASSROOM CYLINDER	626
CO-100-CY-50-KP-RHO	KEYPAD, OFFICE CYLINDER	626
CO-100-MS-70-KP-RHO	KEYPAD, STOREROOM/CLASSROOM MORTISE	626
CO-100-MS-50-KP-RHO	KEYPAD, OFFICE MORTISE	626





Schlage - *Electronic Locks*

CO 200 - Offline Electronic Lock

Standard Features

- Computer programmable with audit trail
- Up to 2000 users & up to 2000 audits*
- Up to 32 holidays & 16 time zones*
- ANSI/BHMA A156.25 Grade 1 certified and UL 294 listed
- User rights stored on the lock
- The ability to add and delete users at the lock
- Available in cylindrical, mortise, mortise deadbolt, and exit trim
- Compatible with major brands of key systems and exit devices
- Classroom/Storeroom, Office, and Privacy functions available

**Depending on access control software.*



Images shown are not to scale.

Stocked Products

ITEM #	DESCRIPTION	FINISH
CO-200-CY-70-PRK-RHO	PAD/PROX, STORAGE/CLASSROOM CYLINDER	626
CO-200-CY-50-PRK-RHO	PAD/PROX, OFFICE CYLINDER	626
CO-200-MS-70-PRK-RHO	PAD/PROX, STOREROOM/CLASSROOM MORTISE	626
CO-200-MS-50-PRK-RHO	PAD/PROX, OFFICE MORTISE	626





Schlage - *Electronic Locks*

CO-Series Exit Trim

Standard Features

- Multiple Credential Reader Options
- A wide variety of finishes and lever styles
- Powered by 4 AA batteries*
- Compatible with most Standard, FSIC or SFIC keyways from major brands of master key systems including Schlage, Sargent, Corbin, Medeco and Yale
- UL 294 listed and ANSI/BHMA 156.25 Grade 1 certified**

*Excluding 993DT

**UL 294 does not apply to dummy trim devices



Stocked Products

ITEM #	DESCRIPTION	FINISH
CO-100-993R-70-KP-RHO	EXIT TRIM, RIM/CVR	626
CO-100-993S-70-KP-RHO	EXIT TRIM, SVR	626
CO-200-993R-70-PRK-RHO	EXIT TRIM, RIM/CVR	626
CO-200-993S-70-PRK-RHO	EXIT TRIM, SVR	626



Schlage - *Electronic Locks*

Schlage Utility Software (SUS) on the Handheld Device (HHD)

Standard Features

- Handheld Device with Schlage Utility Software installed
- Touch Screen operation
- Initialize Lock and Accessories with SUS
- Configure and Test Devices

Stocked Products

ITEM #	DESCRIPTION
HHD KIT	HANDHELD PROGRAMMER KIT
SXF7410SCH	100 SCHLAGE PROXIMITY CARDS

