



TIMELY DOOR FRAMES IN STOCK SOUTHERN CALIFORNIA

	PAGE
S-SERIES 20-GAUGE METAL FRAMES FOR 1-3/8" DOORS.....	2
S-SERIES 20-GAUGE METAL FRAMES FOR 1-3/4" DOORS.....	3-4
A-SERIES 18-GAUGE ADJUSTABLE FRAMES FOR 1-3/4" DOORS.....	4
FRAME-UP 20-GAUGE ADJUSTABLE KERFED FRAMES	5
CK SERIES 18-GAUGE FIXED THROAT KERFED FRAMES	6
BORROWED LITE FRAMES	7
TIMELY OPTIONS AND ACCESSORIES.....	8
TIMELY FRAMES GENERAL INFORMATION	9
TIMELY FRAME - PREFIT SPECIFICATIONS	10

ORDERING:

Provide us with the door size and thickness

Provide us with the wall size and series

Provide us with the correct handing. 6/8 and 7/0 frames are reversible, except where noted.

HINGE PREPARATION FOR 1-3/8" DOORS

235 denotes 2 each 3-1/2" hinges

335 denotes 3 each 3-1/2" hinges

435 denotes 4 each 3-1/2" hinges

HINGE PREPARATION FOR 1-3/4" DOORS

340 denotes 3 each 4" hinges

440 denotes 4 each 4" hinges

640 denotes 6 each 4" hinges (3 hinges each side of frame)

840 denotes 8 each 4" hinges (4 hinges each side of frame)

FINISH

Browntone, Western White, Alumatone and Black



TIMELY DOOR FRAMES

- FOR 1-3/8" THICK DOORS • TA-1 STRIKE INCLUDED
- TA-8 CASING • TA-1 ZINCROME STRIKES INCLUDED

BROWNTONE

Single Units - 2/0, 3/0

Frame Call-out	Wall Size	Hinge Prep	List Price
45S-235 (3/0 only)	4-1/2" to 4-5/8"	1 Pr. 3-1/2 x 3-1/2	\$143.80
47S-235	4-3/4" to 4-7/8"	1 Pr. 3-1/2 x 3-1/2	\$153.05
47S-335	4-3/4" to 4-7/8"	1-1/2 Pr. 3-1/2 x 3-1/2	\$155.95

WESTERN WHITE

Single Units - 2/0, 2/6, 2/8, 2/10, 3/0

Frame Call-out	Wall Size	Hinge Prep	List Price
45S-235 (3/0 only)	4-1/2" to 4-5/8"	1 Pr. 3-1/2 x 3-1/2	\$143.80
47S-235	4-3/4" to 4-7/8"	1 Pr. 3-1/2 x 3-1/2	\$153.05
47S-335	4-3/4" to 4-7/8"	1-1/2 Pr. 3-1/2 x 3-1/2	\$155.95

6/8 Frames are reversible
 All Units listed above include TA-8 Casing and Zincrome Strikes



TIMELY DOOR FRAMES

- FOR 1-3/4" THICK DOORS • 90-MINUTE FIRE LABELS
- TA-8 CASING • TA-1 ZINCROME STRIKE INCLUDED.

BROWNTONE

Single Units - 3/0

Frame Call-out	Wall Size	Hinge Prep	6/8	7/0	8/0 +
36S-340	3-5/8" to 3-3/4"	1-1/2 Pr. 4 x 4	\$153.95	\$165.20	\$193.50
45S-340	4-1/2" to 4-5/8"	1-1/2 Pr. 4 x 4	\$153.95	\$165.20	
47S-340	4-3/4" to 4-7/8"	1-1/2 Pr. 4 x 4	\$162.60	\$175.00 ▲	
53S-340	5-1/4" to 5-3/8"	1-1/2 Pr. 4 x 4	\$164.60	\$178.45	\$268.55
67C-340	6-3/4" to 6-7/8"	1-1/2 Pr. 4 x 4	\$238.25	\$251.25	
72C-340	7-1/8" to 7-1/4"	1-1/2 Pr. 4 x 4	\$251.25	\$262.80	

▲ #47S stocked reversible and handed. If handed, specify handing.
 2/0 - #47 also in stock.

BROWNTONE

Paired Units - 4/0, 5/0, 6/0

Frame Call-out	Wall Size	Hinge Prep	6/8	7/0
47S-640	4-3/4" to 4-7/8"	1-1/2 Pr. 4 x 4	\$192.90	\$204.45

WESTERN WHITE

Single Units - 2/6, 2/8, 3/0 Note: 2/10 stocked in #47

Frame Call-out	Wall Size	Hinge Prep	6/8	7/0	8/0 +
36S-340 (3/0 only)	3-5/8" to 3-3/4"	1-1/2 Pr. 4 x 4	\$153.95	\$165.20	\$193.50
45S-340 (3/0 only)	4-1/2" to 4-5/8"	1-1/2 Pr. 4 x 4	\$153.95	\$165.20	
47S-340	4-3/4" to 4-7/8"	1-1/2 Pr. 4 x 4	\$162.60	\$175.00 ▲	
53S-340	5-1/4" to 5-3/8"	1-1/2 Pr. 4 x 4	\$164.60	\$178.45	\$194.95
67C-340 (3/0 only)	6-3/4" to 6-7/8"	1-1/2 Pr. 4 x 4	\$238.25	\$251.25	
72C-340 (3/0 only)	7-1/8" to 7-1/4"	1-1/2 Pr. 4 x 4	\$251.25	\$262.80	

▲ #47S stocked reversible and handed. If handed, specify handing.
 2/0 - #47 also in stock.

WESTERN WHITE


Paired Units - 4/0, 5/0, 6/0

Frame Call-out	Wall Size	Hinge Prep	6/8	7/0
47S-640	4-3/4" to 4-7/8"	1-1/2 Pr. 4 x 4	\$192.90	\$204.45

ALUMATONE

Single Units - 3/0

Frame Call-out	Wall Size	Hinge Prep	6/8	7/0
47S-340	4-3/4" to 4-7/8"	1-1/2 Pr. 4 x 4	\$174.75	\$187.70





TIMELY STEEL DOOR FRAMES

- FOR 1-3/4" THICK DOORS • 90 MINUTE FIRE LABELS
- TA-8 CASING • TA-1 ZINCROME STRIKES INCLUDED

BLACK

Single Units - 3/0

Frame Call-out	Wall Size	Hinge Prep	6/8	7/0
47S-340	4-3/4" to 4-7/8"	1-1/2 Pr. 4 x 4	\$174.75	\$187.70

BLACK

Paired Units - 4/0, 5/0, 6/0

Frame Call-out	Wall Size	Hinge Prep	6/8	7/0
47S-640	4-3/4" to 4-7/8"	1-1/2 Pr. 4 x 4	\$205.05	\$219.45

ADJUSTABLE FRAMES

BROWNTONE

Single Units - 3/0

Frame Call-out	Wall Size	Hinge Prep	6/8	7/0
54A-340	3-3/4" to 5-1/2"	1-1/2 Pr. 4 x 4	\$273.20	\$288.20
73A-340	5-5/8" to 7-3/8"	1-1/2 Pr. 4 x 4	\$288.20	\$306.10
91A-340	7-1/2" to 9-1/8"	1-1/2 Pr. 4 x 4	\$311.85	\$329.20

ADJUSTABLE FRAMES

WESTERN WHITE

Single Units - 3/0

Frame Call-out	Wall Size	Hinge Prep	6/8	7/0
54A-340	3-3/4" to 5-1/2"	1-1/2 Pr. 4 x 4	\$273.20	\$288.20
73A-340	5-5/8" to 7-3/8"	1-1/2 Pr. 4 x 4	\$288.20	\$306.10
91A-340	7-1/2" to 9-1/8"	1-1/2 Pr. 4 x 4	\$311.85	\$329.20





TIMELY FRAME-UP ADJUSTABLE KERFED FRAME

- FOR 1-3/4" THICK DOORS • BRIGHT WHITE PRIMED FINISH • 90-MINUTE LABELED
- TIMELY 340 HINGE PREP • TA-1 STRIKE INCLUDED
- Q-LON COMPRESSION WEATHERSTRIPPING

Frame includes:

Left or Right Handed	TA-43 Pre-Hang Pack
20 Gauge Base Frame	TA-44 Hardware Pack
20 Gauge Extender Frame	TA-1 Zincrome Strike
Primed High Definition Bright White	Deadbolt Emboss 5-1/2" o.c & Strike included
90-Minute Mylar Fire Labels	No Casing or Clips Attached
QEBD 500 White Weatherstrip	

BRIGHT WHITE PRIMED

Single Units - 2/0, 2/4, 2/6, 2/8, 3/0

BRIGHT WHITE PRIMED

Paired Units - 4/0, 5/0, 6/0

Adjustment Range	Part #	6/8	Height 7/0	8/0	Adjustment Range	6/8	Height 7/0	8/0
4-1/2" to 5-1/2"	C53	\$231.00	\$244.90	\$261.05	4-1/2" to 5-1/2"	\$285.30	\$299.15	\$314.20
5-1/2" to 6-1/2"	C63	\$244.90	\$258.75	\$273.75	5-1/2" to 6-1/2"	\$301.50	\$315.35	\$330.35
6-1/2" to 7-1/2"	C73	\$258.75	\$272.60	\$287.60	6-1/2" to 7-1/2"	\$316.50	\$330.35	\$345.35
7-1/2" to 8-1/2"	C83	\$268.00	\$281.85	\$296.85	7-1/2" to 8-1/2"	\$326.90	\$340.75	\$355.75
8-1/2" to 9-1/2"	C93	\$286.45	\$300.30	\$315.35	8-1/2" to 9-1/2"	\$346.50	\$360.40	\$375.40
9-1/2" to 10-1/2"	C103	\$318.80	\$332.65	\$347.70	9-1/2" to 10-1/2"	\$383.50	\$397.35	\$412.35


Shaded in Stock - So. Cal.

Inner Pack

Hinge, Strike and Head
 Assembly Hardware

Installation Pack


Outer Pack
 2-Jamb
 1-Head



Casing Options

	Per Side
TA-8 1-7/16" Timely Standard Profile	\$26.35
TA-30 1-3/4" Colonial Profile	\$56.05 Non-Stock
+ TA-18 Casing Retainer Clips (11/pkg)	\$7.85
TA-6 Casing Corner Piece for TA-8 (4/pkg)	\$7.85
TA-31 Casing Corner Piece for TA-30 (4/pkg)	\$7.85 Non-Stock

+ TA-18 required on all Timely Casings
 Note: Standard wood casing can be applied to a Timely Frame.



Strike

TA-39 Deadbolt Strike Zinc	\$3.50
--------------------------------------	--------



Special Order
Allow for Lead-Time

TIMELY “CK” SERIES FIXED THROAT KERFED FRAMES

- FOR 1-3/4" THICK DOORS • 18-GAUGE FRAME • 90-MINUTE POSITIVE PRESSURE FIRE RATED
- TIMELY 340 HINGE PREP • TA-1 STRIKE INCLUDED
- Q-LON COMPRESSION WEATHERSTRIPPING

BROWNTONE OR WESTERN WHITE Single Units - 2/0, 2/4, 2/6, 2/8, 3/0, 3/6

Throat Sizes *	6/8	Height 7/0	8/0
4" to 4-1/2"	\$288.75	\$303.20	\$326.30
4-5/8" to 5"	\$288.75	\$303.20	\$326.30
5-1/8" to 5-3/8"	\$299.15	\$310.70	\$333.80
5-1/2" to 6"	\$326.90	\$340.75	\$363.85
6-1/8" to 6-1/2"	\$375.40	\$389.85	\$412.95
6-5/8" to 6-7/8"	\$404.25	\$418.70	\$441.80
7" to 7-1/2"	\$404.25	\$418.70	\$441.80
7-5/8" to 8"	\$438.90	\$453.35	\$476.45

* Order frames in 1/8" increments

Paired Units - 4/0, 5/0, 5/4, 6/0

Throat Sizes *	6/8	Height 7/0	8/0
4" to 4-1/2"	\$343.65	\$358.05	\$381.15
4-5/8" to 5"	\$343.65	\$358.05	\$381.15
5-1/8" to 5-3/8"	\$352.30	\$366.75	\$389.85
5-1/2" to 6"	\$386.95	\$400.80	\$424.50
6-1/8" to 6-1/2"	\$436.05	\$450.45	\$473.55
6-5/8" to 6-7/8"	\$464.90	\$479.35	\$502.45
7" to 7-1/2"	\$464.90	\$479.35	\$502.45
7-5/8" to 8"	\$499.55	\$514.00	\$537.10

ALUMATONE OR BLACK Single Units - 2/0, 2/4, 2/6, 2/8, 3/0, 3/6

Throat Sizes *	6/8	Height 7/0	8/0
4" to 4-1/2"	\$306.10	\$320.55	\$343.65
4-5/8" to 5"	\$306.10	\$320.55	\$343.65
5-1/8" to 5-3/8"	\$316.50	\$328.05	\$351.15
5-1/2" to 6"	\$344.20	\$358.05	\$381.15
6-1/8" to 6-1/2"	\$392.70	\$407.15	\$430.25
6-5/8" to 6-7/8"	\$421.60	\$436.05	\$459.15
7" to 7-1/2"	\$421.60	\$436.05	\$459.15
7-5/8" to 8"	\$456.25	\$470.70	\$493.80

* Order frames in 1/8" increments

Paired Units - 4/0, 5/0, 5/4, 6/0


Throat Sizes *	6/8	Height 7/0	8/0
4" to 4-1/2"	\$363.85	\$378.30	\$401.40
4-5/8" to 5"	\$363.85	\$378.30	\$401.40
5-1/8" to 5-3/8"	\$372.50	\$386.95	\$410.05
5-1/2" to 6"	\$407.15	\$421.60	\$444.70
6-1/8" to 6-1/2"	\$456.25	\$470.70	\$493.80
6-5/8" to 6-7/8"	\$485.10	\$499.55	\$522.65
7" to 7-1/2"	\$485.10	\$499.55	\$522.65
7-5/8" to 8"	\$519.75	\$534.20	\$557.30

Casing Options

	Per Side
TA-8 1-7/16" Timely standard Profile	Included
TA-30 1-3/4" Colonial Profile	\$56.05

The “CK” Series features a factory-installed door seal that reduces light, sound and smoke transmission and assures a professional installation every time.


This steel fixed throat kerf frame is ideally suited for entry doors in offices, hotels, light commercial construction, garage-to-house, multi-housing and wherever a door seal protection is required.





TIMELY BORROWED LITE FRAMES

IN STOCK FOR IMMEDIATE DELIVERY
All Units are K.D. • Glass Not Included



MODEL 47-S FULL BOUND WINDOW UNITS Stocked in Browntone, Western White and Black

2/0 x 3/0	\$271.45	2/0 x 4/0	\$288.75
3/0 x 3/0	\$303.80	3/0 x 4/0	\$321.10
4/0 x 3/0	\$334.95	4/0 x 4/0	\$352.30
5/0 x 3/0	\$366.75	5/0 x 4/0	\$384.65
6/0 x 3/0	\$398.50	6/0 x 4/0	\$415.80

- Includes Glass Stop and Casing (Stops are cut in 4/0 and 6/0 lengths)
- For wall widths 4-3/4" to 4-7/8"
- Glass not included
- Custom size and Jamb widths available. Please submit for quote.
- Borrowed Lites are available with Fire Rating. Please submit for quote.



TIMELY FRAME OPTIONS AND ACCESSORIES

FRAME PREPARATIONS:

Deadbolt Strike Prep (Specify handing - Right or Left, strike not included)	\$34.65
ASA Strike Prep (ANSI)	\$34.65
Odd Frames	Submit For Quote

ACCESSORIES:

TA-1 Adjustable Strike:	Bronze, Zincrome	\$7.95
	Oil Rubbed Bronze	\$22.30
TA-2 Strike Filler Plate	Zincrome	\$3.45
TA-3 Deadbolt Strike	Bronze, Zincrome	\$3.85
	Oil Rubbed Bronze	\$21.35
Timely Thimble Strike Drive-In		\$4.65
TA-5 Adhesive Applied Silencer		\$1.20
TA-6 Casing corner Piece (4/pkg)	Browntone, Black, Western White	\$7.85
TA-8 Standard Steel Casing	3/0 Head – Black, Browntone, Western White	\$4.40
	8/0 Pair of Legs – Black, Browntone, Western White	\$21.95
TA-9 Touch-Up Paint	Black, Browntone, Western White	\$21.95
	Alumatone	\$40.45
TA-10 Regular Arm Closer Reinforcement Bracket – Aluminum		\$13.05
TA-12 Parallel Arm Closer Reinforcement Bracket - Galvanized		\$24.30
TA-14 1/2" Glass Stop 4/0 Length	Black, Browntone, Western White	\$21.10
1/2" Glass Stop 6/0 Length	Black, Browntone, Western White	\$26.60
TA-18 Casing Retainer Clip (11/pkg) (One side of frame)		\$7.85
TA-19 1/2" Glass Stop Tek Screw (60/pkg)		\$13.75
	Black, Browntone, Western White	
TA-51 Silicon Smoke Gasket 17' Set		\$35.85
(Brown or White) 20' Set		\$42.75

HINGES TO MATCH TIMELY FRAMES

SIZE	FINISH	PAIR	SIZE	FINISH	EACH
RC1748 3-1/2 x 3-1/2	L2	\$14.95	RC1744 Spring 4 x 4	US-26D	\$ 40.45
	US-26D	\$17.10			

SIZE	FINISH	SET
RC1749 4 x 4	US-P	\$17.75
	L2	\$19.55
	US-26D	\$19.55
	US-15A	\$19.55
RC1191 4 x 4	US-32D	\$73.45

Pair = 2-Hinges
 Set = 3-Hinges



FRAMES GENERAL INFORMATION

ARCHITECTURAL SPECIFICATIONS

Part 1 - GENERAL

1.1. SECTION INCLUDES

- A. Fire-rated, prefinished steel door frames and sidelites.

1.2. REFERENCES

- A. Warnock Hersey International (WHI)
- B. Underwriter's Laboratory (UL)

1.3. SUBMITTALS

- A. Product Data: Indicate frame configuration and finishes
- B. Shop Drawings: Indicate frame elevations, reinforcement, anchor types and spacings, location of cut-outs for hardware and finish.
- C. Provide copies of manufacturer's standard warranty

1.4. QUALITY ASSURANCE

- A. Manufacturer: A firm with no less than 10 years experience in manufacturing of the principle materials for the required work.
- B. Installer: A firm with no less than 5 years experience in the installation of prefinished door frames as demonstrated by previous successful installation.

1.5. REGULATORY REQUIREMENTS

- A. Fire Rated Frame Construction: Conform to (WHI) (UL) (____) standards.

1.6. DELIVERY, STORAGE, AND PROTECTION

- A. Store frames in a dry, protected area off the ground. Do not cover with tarp (will cause moisture chamber).
- B. Package prefinished door frames individually with all surfaces protected against shipping and handling damage until time of installation.

Part 2 - PRODUCTS

2.1. DISTRIBUTOR

- A. Distributed by T.M. Cobb.

2.2. FRAMES

- A. Frames: (18) (20) gauge, (Steel) (Brass) (____).

2.3. CASINGS

- A. Casings: Provide (Steel) (Aluminum) (Brass) (PVC) (Wood) (____) casings with corner alignment clips as shown on drawings.

2.4. FABRICATION

- A. All frames formed from cold rolled sheet steel conforming to ASTM-A366.
- B. Roll form or break frames to standard shapes as shown on drawings.
- C. Prepare frames for heat-treated, zinc-plated casing retainer clips. Clips mechanically fastened for secure, properly aligned installation of casing.
- D. Provide holes on perimeter of frame for insertion of fasteners.
- E. Provide oval alignment slots to allow for insertion of screwdriver to adjust frame.
- F. All frames to have 14 gauge reinforcement plates with extruded tapped holes, for a minimum of 3/16" thread penetration depth.
- G. Strikes: (Provide for 2 3/4" adjustable "T") (Prepare for field-applied ASA 4-7/8") as required.
- H. Provide standard, field applied reinforcement for surface mounted hardware.
- I. Provide (WHI) (UL) (____) fire rated frames as shown on drawings.

2.5. FINISHES

- A. Factory finish: Impact resistant, polyester baked enamel.
- B. Steel: Chemically cleaned, bonderized, primed and painted in coils. Galvanized steel prior to painting in any exterior, high humidity, or corrosive area.
- C. Provide aerosol touch-up paint for after installation, on-sight repair as recommended by manufacturer.

Part 3 - EXECUTION

3.1. EXAMINATION

- A. Verify existing conditions before starting work.
- B. Verify that rough opening sizes and wall thicknesses are acceptable.
- C. Verify finish hardware requirements for each opening to provide proper reinforcement, preparation and anchorage.

3.2. INSTALLATION

- A. Coordinate installation with other trades to avoid conflict.
- B. Use (pre-fit template door) (actual door) in opening to assure proper alignment and clearances.
- C. Anchor frame with one drywall screw adjacent to each casing clip.
- D. Align all parts with proper clearance to assure proper fit, tight miters and desired performance
- E. Provide instruction sheets for all frames, sidelites and borrowed lites for field use.


3.3. CLEANING

- A. Remove all boxes, wrappers, papers and debris from each opening
- B. Wipe frames with moist cloth and mild glass cleaner to remove grease, dust or other debris.

3.4. FINAL INSPECTION


- A. Inspect each opening for proper operation, correct hardware, general appearance and proper installation.
- B. Make any necessary adjustments.
- C. Provide product information, instruction manuals and standard warranty.
- D. Replace any frames shown to be defective under the terms of the manufacturers warranty

WALL CONSTRUCTION




WOOD STUD DRYWALL
(Also for solid, semi-solid partitions or plywood sandwich walls)

RECOMMENDED FASTENER:
6d Common, or 8d Common Nail 1-1/4" (min.) Type "S", or 1-1/4" (min.) Type "G" Drywall screws-coarse thread.





METAL STUD AND DRYWALL
RECOMMENDED FASTENER:
1-1/4" (min.) Type "S", or 1-1/4" (min.) Type "G" Drywall screws



WOOD STUD AND EXTERIOR STUCCO WITH DRYWALL
RECOMMENDED FASTENER:
6d Common, or 8d Common Nail 1/4" (min.) Type "S" or 1-1/4" (min.) Type "G" Drywall screws-coarse thread.

ROUGH OPENING FRAMING INSTRUCTIONS




Floor Level




STEEL FRAME — PREFIT SPECIFICATIONS

HINGE AND STRIKE LOCATION

NOTE: WHEN USING THIS CHART FOR PREMACHINING DOOR MEASUREMENTS, **REDUCE THE A & C DIMENSIONS 3/32" EACH FOR DOOR CLEARANCE.**



DOOR INFORMATION:
Using 1-1/2 pair 4" hinges.
Hinge backset 1-3/4" door 1/4"
Hinge depth 0.120 for light weight hinge
Hinge depth 0.140 for standard weight hinge.
DAP 4" hinges for 1/4" radius.




Net Frame Dimensions			
HEIGHT	A	B	C
5/0	10-11/32	19-3/4	20-3/32
5/1	10-11/32	20-1/4	21-3/32
5/2	10-11/32	20-3/4	22-3/32
5/4	10-11/32	21-3/4	24-3/32
6/0	10-11/32	25-3/4	32-3/32
▲ 6/8	10-11/32	29-3/4	40-3/32
6/9	10-11/32	30-1/4	41-3/32
6/9	10-11/32	30-1/4	40-19/32
7/0	10-11/32	31-3/4	44-3/32
▲ 7/0	10-11/32	31-3/4	42-3/32
7/4	10-11/32	33-3/4	48-3/32
7/6	10-11/32	34-3/4	50-3/32
7/8	10-11/32	35-3/4	52-3/32
7/10	10-11/32	36-3/4	54-3/32
**8/0	10-11/32	37-3/4	56-3/32
8/4	10-11/32	39-3/4	60-3/32
8/6	10-11/32	40-3/4	62-3/32
8/8	10-11/32	41-3/4	64-3/32
8/10	10-11/32	42-3/4	66-3/32
9/0	10-11/32	43-3/4	68-3/32
10/0	10-11/32	49-3/4	80-3/32

▲ REVERSIBLE — Frame can be used as Left or Right Hand, Swing In or Out.

** 8/0 High Frames stocked prepped for 4 Hinges.

STEEL HANDING



LEFT HAND RIGHT HAND

HANDING INFORMATION;
TO ESTABLISH HANDING ALWAYS
PUSH THE DOOR AWAY FROM YOU.