



## Doormerica

### Door Guards

#### DDL - Privacy Latch

##### Features:

- Easy to operate
- ADA Compliant
- Meets NFPA 80 5.2.13.3



##### Options:

- DGDEP128 - Door Angle Protector
- DGS128 - Door Guard Shim



#### DG128BR

##### Features:

- Solid forged brass.
- Positive projection lock ball not allowing forced entry.
- Swing bar folds out of place when not used.
- Maximum 4" door opening when engaged.
- Cannot be disengaged unless door is fully closed.


#### Stocked Product

Item	Finish
DDL	10B,US15,26D
DG128BR	US3,10B,15,26,26D
DGDEP128	10B,15,26,26D
DGS128	Black

### Viewers


#### DV190

Door Viewer  
9/16" Bore Diameter



#### DV3315 & DV4315 (w/ Privacy Cover)

UL Listed Door Viewer  
9/16" Bore Diameter



##### Features:

- DV190 -190 Degrees Viewing Area.  
-Polished Plastic Lenses.
- DV3315 -200 Degrees Viewing Area.  
-Polished Plastic Lenses.
- DV4315 -200 Degrees Viewing Area.  
-Polished Plastic Lenses.  
-Includes Privacy Cover.
- All Viewers Solid Cast Brass.

#### Stocked Product

Item	Finish
DV190	US3,10B,15,26,26D
DV3315	US3,10B,15,26,26D
DV4315	26D, 10B, US15



## Doormerica

### Door Holders




#### SH1235

Drop Down Door Holder

#### Features:

- SH1235BR - 5" Cast Brass Holder.
- Stops individually wrapped with mounting screws.
- Polybagged with 3 or 4 sheet metal screws.



#### Stocked Product

Item	Finish
SH1235BR	US3, 10B, 26D

### Wall Stops

#### SH401

Concave Wall Stop





#### SH406

Convex Wall Stop



#### Features:

- SH401 - Concave Wall Stop.
- SH406 - Convex Wall Stop.
- All Wall Stops Are Wrought Steel.
- Stops Individually Wrapped With Mounting Screws.
- Polybagged With:
  - 1 Plastic Anchor
  - 1 Sheet Metal Screw



#### Stocked Product

Item	Finish
SH401	US3, 10B, 15, 26, 26D
SH406	10B, 15, 26D




## Doormerica

### Floor Stops


#### SH436

Low Dome Stop



#### SH438

High Dome Stop



#### Features:

- SH436 -1/4" Rise x 1" Low Dome Stop.
- SH438 -1/2" Rise x 1-1/4" High Dome Stop.
- All Floor Stops are Cast Brass
- Stops Individually wrapped with Mounting Screws.
- Polybagged with: 1 Plastic Anchor  
1 Sheet Metal Screw  
1 Lead Anchor

#### Stocked Product


Item	Finish
SH436	US3, 10B, 15, 26, 26D
SH438	US3, 10B, 15, 26, 26D

#### Features:

- SH444 -3-1/8" High Floor Stop.
- Solid Cast Brass.
- Stops Individually wrapped with Mounting Screws.
- Polybagged with: 1 Plastic Anchor  
1 Sheet Metal Screw  
1 Lead Anchor

#### SH444

Floor Mount Stop



#### Specifications:

Stops -Stops shall be by Doormerica model number SH444 and made from solid cast brass. All stops to be provided with steel Phillips sheet metal screws plated to match finish. Each Stop shall be individually wrapped with mounting screws.

#### Stocked Product

Item	Finish
SH444	US3, 10B, 26, 26D



## Doormerica

### RL300 / RL320 - Roller Latches

#### Features:

- Actuation is simple, closing of the door causes the roller to fall in the depression of the strike, thereby holding the door closed.
- The projection of the roller is easily adjusted using adjusting screws on the face of the unit.
- Maximum projection of the roller is 3/8" allowing for variance in the door clearance.
- Nylon Roller Standard.
- Forged Brass Construction.
- Meets ANSI/BHMA A156.16, E19091.
- Finishes US10B, US26D other finishes available special order only

#### Dimensions:

Body: 1" Wide x 3-3/8" Long x 1-5/8" Deep

Strike: 1-11/16" Wide x 2-3/16" Long x 5/32" Thick



RL300

#### Stocked Product

Item	Finish
RL300	10B, 26D

#### Features:

- Actuation is simple, closing of the door causes the roller to fall in the depression of the strike, thereby holding the door closed.
- The projection of the roller is easily adjusted by turning knurled knob on back of latch.
- Maximum projection of the roller is 1/2" allowing for variance in the door clearance.
- Fits heavy-duty cylindrical lock cutout.
- Nylon Roller Standard.
- Non-handed.
- Brass or Stainless Steel Construction.
- Meets ANSI/BHMA A156.16, E19101.
- Finishes US10B, US26D other finishes available special order only

#### Dimensions:

Body: 1-1/8" Wide x 2-1/4" Long x 1-3/4" Deep

Strike: 1-1/8" Wide x 2-3/4" Long x 1/16" Thick



RL320


#### Stocked Product

Item	Finish
RL320	26D




## Doormerica

### BC2950 / BC2955 - Ball Catches



BC2950 - Ball Catch




BC2955 - Roller Catch

#### Features:

- BC2950 - Ball Catch.
- BC2955 - Roller Catch.
- Dual Adjustment for Door Clearance and Holding Strength.
- Lip Strike Designed for Jamb Mounting.
- Ball Catch Individually wrapped with Mounting Screws.

#### Option:

- BC2955T - with 2-3/4" x 1-1/8" T Strike  
Packed with #8 x 32 metal screws



#### Specifications:

Ball Catches – Ball catches shall be by Doormerica model number BC2950 and BC2955 are all ball catches provided with high tension steel compression springs to provide solid engagement with strike. All ball catches provided with Phillips sheet metal screws, plated to match finish for proper ball and strike mounting. Each ball catch shall be individually wrapped.

#### 1 YEAR LIMITED WARRANTY

#### Stocked Product

Item	Finish
BC2950	US3, 10B, 15
BC2955	US3, 10B, 15
BC2955T	US3, 10B, 15